

C03

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("US20050111466A1").PN.	US-PGPUB ; USPAT	OR	OFF	2007/08/06 18:53
S2	1	("20050111466").PN.	US-PGPUB ; USPAT	OR	OFF	2007/08/06 18:53
S3	81	kappes-martin.in. OR krishnan-p.in.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:22
S4	95	kappes-martin.in. OR krishnan-p\$.in.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:23
S5	0	avaya.AS. AND (content NEAR2 authenticat\$3)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:24
S6	2166	avaya.AS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:27
S7	34	(token OR tag OR key) NEAR5 (untrusted OR unknown OR rogue) NEAR (network OR lan OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:31
S8	0	((token OR tag) NEAR5 (dirty OR alter\$3 OR modif\$3)) WITH ((untrusted OR unknown OR rogue) NEAR2 (network OR lan OR (access ADJ point)))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:32

EAST Search History

S9	33	(dirty OR alter\$3 OR modif\$3) WITH ((untrusted OR unknown OR rogue) NEAR2 (network OR lan OR (access ADJ point)))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 10:35
S10	146	(detect\$3 OR determin\$3) NEAR5 (access\$3 OR connect\$3) NEAR5 (untrusted OR unknown OR rogue) NEAR (network OR lan OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:08
S11	1	("7222359").PN.	US-PGPUB ; USPAT	OR	OFF	2007/11/13 10:55
S12	29	(detect\$3 OR determin\$3) NEAR5 (connect\$3) NEAR5 (another OR other OR different) ADJ (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:04
S13	2266	(connect\$3) ADJ2 (another OR other OR different) ADJ2 (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:04
S14	37	S13 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:04
S15	40	(detect\$3 OR determin\$3) NEAR5 (access\$3 OR connect\$3) NEAR5 (untrusted OR unknown) NEAR (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 12:49
S16	68	(detect\$3 OR determin\$3 OR indicat\$3) NEAR5 (node OR device OR client) NEAR5 (access\$3 OR connect\$3) NEAR5 (untrusted OR unknown OR unauthorized) NEAR (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:28

EAST Search History

S17	146	(quarantin\$3 OR deny\$3 OR prevent\$3) NEAR5 (node OR device OR client) NEAR5 (access\$3 OR connect\$3) NEAR5 (untrusted OR unknown OR unauthorized) NEAR (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:47
S18	1	(quarantin\$3 OR deny\$3 OR prevent\$3) ADJ5 (node OR device OR client) ADJ5 (access\$3 OR connect\$3) ADJ5 (untrusted OR unknown OR unauthorized OR multiple OR second) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 11:48
S19	153	(detect\$3 OR determin\$3) NEAR5 (access\$3 OR connect\$3) NEAR5 (another OR other OR different OR two OR multiple) ADJ (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 12:57
S20	881	(client OR node OR device) ADJ3 (connect\$3 OR access\$3) ADJ5 (multiple OR plurality OR two) ADJ2 (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:01
S21	6	(determin\$3 OR detect\$3) ADJ2 (client OR node OR device) ADJ3 (connect\$3 OR access\$3) ADJ5 (multiple OR plurality OR two OR second) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 14:33
S22	10	("20020013831" "20020035699" "20020133715" "20030065919" "20040019786" "20040102182" "20040139204" "20040225709" "7016877" "7082535").PN. OR ("7284062").URPN.	US-PGPUB ; USPAT; USOCR	SAME	ON	2007/11/13 13:07
S23	5	(determin\$3 OR detect\$3) ADJ2 (client OR node OR device) ADJ3 (connect\$3 OR access\$3) ADJ2 (multiple OR plurality OR two OR second) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:12

EAST Search History

S24	45	(determin\$3 OR detect\$3) ADJ3 (connect\$3 OR access\$3) ADJ2 (multiple OR plurality OR two OR second) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:18
S25	317	(authenticat\$3) NEAR5 (multiple OR plurality OR two OR second OR other OR another) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:19
S26	1	("5655077").PN.	US-PGPUB ; USPAT	OR	OFF	2007/11/13 13:41
S27	39	authentic\$5 NEAR2 (node OR device OR client) WITH (multiple OR plurality) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:46
S28	1766	(connect\$3) NEAR5 (node OR device OR client) WITH (multiple OR plurality) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:47
S29	27	S28 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 13:48
S30	1	("20020062375").PN.	US-PGPUB ; USPAT	OR	OFF	2007/11/13 13:48
S31	3	(determin\$3 OR detect\$3) ADJ2 (client OR node OR device) ADJ3 (connect\$3 OR access\$3) ADJ5 (multiple OR plurality OR two OR other) ADJ (network OR site OR server OR website)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 14:36

EAST Search History

S32	48759	(determin\$3 OR detect\$3) SAME (client OR node OR device) SAME (connect\$3 OR access\$3) SAME (multiple OR plurality OR two OR other) SAME (network OR site OR server OR website)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 14:37
S33	503	S32 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 14:37
S34	2479	(determin\$3 OR detect\$3) SAME (client OR node OR device) SAME (connect\$3 OR access\$3) SAME (multiple OR plurality OR two OR other) ADJ (network OR site OR server OR website)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:18
S35	69	S34 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 15:12
S36	3659	(709/229).CCLS.	US-PGPUB ; USPAT	OR	OFF	2007/11/13 15:12
S37	0	(determin\$3 OR detect\$3) NEAR2 (client OR node OR device) NEAR2 (connect\$3 OR access\$3) NEAR2 (untrusted) ADJ (network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:19
S38	3	(determin\$3 OR detect\$3) WITH (client OR node OR device) WITH (connect\$3 OR access\$3) WITH (untrusted ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:20
S39	498	(untrusted ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:21

EAST Search History

S40	13	S39 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:20
S41	2	(detect\$3 OR determin\$3) NEAR5 (connect\$3 OR access\$3) NEAR5 (untrusted ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:34
S42	3	(detect\$3 OR determin\$3) WITH (connect\$3 OR access\$3) NEAR5 (untrusted ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:22
S43	190	(connect\$3 OR access\$3) NEAR5 (untrusted ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:30
S44	1	("7149805").PN.	US-PGPUB ; USPAT	OR	OFF	2007/11/13 16:30
S45	34	(detect\$3 OR determin\$3) NEAR5 (connect\$3 OR access\$3) NEAR5 (untrusted OR trusted OR known OR unknown OR secure OR unsecure) ADJ network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:37
S47	373	(connect\$3 OR access\$3) NEAR5 (untrusted OR trusted) ADJ network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:47
S48	34	(determin\$3) NEAR2 (untrusted OR trusted) NEAR2 network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 16:51

EAST Search History

S49	191	(determin\$3) NEAR10 (untrusted OR trusted) NEAR2 network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:08
S50	2	(detect\$3 OR determin\$3) NEAR2 (token) NEAR2 altered	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:11
S51	4	log ADJ2 address ADJ2 network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:11
S52	762	log WITH network WITH access AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:12
S53	73	log WITH network WITH access WITH address AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:13
S54	382	(log OR logg\$3) NEAR5 network NEAR5 access\$2 AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:16
S55	53	access ADJ log NEAR5 device SAME network	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:25

EAST Search History

S56	85	((log ADJ file) OR logg\$3) NEAR4 (network ADJ connection)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/13 17:26
S57	3	((log ADJ file) OR logg\$3) NEAR5 (network ADJ connection) NEAR5 address	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 10:21
S58	28	(log ADJ file) NEAR5 (network NEAR5 address)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 10:36
S59	115	(scan\$4 NEAR2 (virus OR worm)) SAME (connect\$3 NEAR network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 10:46
S60	303	client SAME authenticat\$3 SAME network SAME rule	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 11:31
S61	15	S60 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 10:54
S62	12	client SAME authenticat\$3 SAME network NEAR3 property	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:46

EAST Search History

S63	4	(client OR device) ADJ2 (connect\$3) ADJ2 (unknown ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:48
S64	20	(client OR device) WITH (connect\$3) ADJ2 (unknown ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:51
S65	6	(unknown ADJ network) AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:51
S66	81	(unknown ADJ network) AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:55
S67	406	(unknown ADJ network)	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:55
S68	1391	unknown NEAR2 (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:01
S69	14	S68 AND 709/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 12:56

EAST Search History

S70	477	(connect\$3) NEAR5 (unknown OR untrusted) NEAR5 (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:32
S71	106	S70 AND "709"/\$.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:33
S72	4137	(unknown OR untrusted) NEAR5 (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:33
S73	3228	(unknown) NEAR5 (network OR (access ADJ point))	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:33
S74	41	S73 AND "709"/229.CCLS.	US-PGPUB ; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/14 13:33